

District School Board of Niagara Health & Safety Requirements

In addition to completing the Ministry of Labour Health and Safety eLearning Module and concussion training required by Nipissing University, teacher candidates assigned to the District School Board of Niagara (DSBN) are required to complete the following training prior to the first day of placement.

Please follow these instructions carefully:

- 1. Print this package.
- 2. Read the attached Health and Safety Orientation Package and complete the quizzes included in the package:
 - Health and Safety at Work: Prevention Starts Here Quiz
 - WHMIS Quiz
- 3. Once you have read the package and completed both quizzes, bring the package (including completed quizzes) to the Practicum Office (F201) or scan to ptoffice@nipissingu.ca, where a staff member will verify your answers and sign as "Placement Supervisor".
- 4. Once the Practicum Office has verified the answers to your quizzes, please contact your associate teacher to make arrangements to complete the Safety Orientation Checklist (Appendix A attached). The Safety Orientation Checklist must be completed prior to or on the first day of <u>each new placement</u>.
- 5. Following the completion of the Safety Orientation Checklist, you must submit the completed Health and Safety Orientation Package (including the Safety Orientation Checklist) to the Principal or Vice-Principal (DSB Administrator) for verification and signature. Your package must be verified prior to or on the first day of your placement. You will not be permitted to begin your placement until the completed package has been submitted to the Principal/Vice-Principal.
- 6. Your completed package will remain with the Principal/Vice-Principal for the duration of your placement at that school. It will be returned to you at the end of the placement for future DSBN placements. Please note: the Safety Orientation Checklist cannot be re-used. A new one must be completed for every placement within the DSBN.

Failure to comply with these requirements may jeopardize your placement.

If you have questions, please contact the Practicum Office at ptoffice@nipissingu.ca or 705-474-3450 ext. 4555.



HEALTH AND SAFETY ORIENTATION PACKAGE

Trainee Name	Trainee Signature	Date Package Completed	
PLACEMENT ONE:			
Placement Supervisor Name	Placement Supervisor Signature	Date Completion Verified	
DSBN Administrator Name	DSBN Administrator Signature	Date Package Received	
PLACEMENT TWO:			
Placement Supervisor Name	Placement Supervisor Signature	Date Completion Verified	
DSBN Administrator Name	DSBN Administrator Signature	Date Package Received	
PLACEMENT THREE:			
Placement Supervisor Name	Placement Supervisor Signature	Date Completion Verified	
DSBN Administrator Name	DSBN Administrator Signature	Date Package Received	

Please contact your Associate Teacher to complete the Safety Orientation Checklist (Appendix A) for site-specific training for each placement.

TABLE OF CONTENTS

Health and Safety Orientation Introduction	2
Health and Safety at Work	3
Health and Safety at Work Quiz	12
Workplace Hazardous Materials Information System (WHMIS)	14
WHMIS Quiz	38
Violence and Harassment in the Workplace	40
Slip, Trip, and Fall Prevention	44
Understanding MSDs	46
Safe Use of Ladders	48
Asbestos Awareness	50
Lockdown, Hold and Secure & Shelter in Place	53
Anaphylaxis	56
Accessibility Standards for Customer Service	60
Accessibility in the District School Board of Niagara	70
APPENDIX A: Safety Orientation Checklist	73

HEALTH AND SAFETY ORIENTATION INTRODUCTION

The purpose of this orientation package is to provide unpaid trainees and learners at the District School Board of Niagara with Health and Safety training. This training includes:

- Health and Safety at Work: Prevention Starts Here
- Workplace Hazardous Materials Information System (WHMIS)
- Violence and Harassment in the Workplace
- Slip, Trip and Fall Prevention
- Understanding MSDs
- Safe Use of Ladders
- Asbestos Awareness
- Lockdown, Hold and Secure & Shelter in Place
- Anaphylaxis
- Accessibility Standards for Customer Service
- Accessibility in the District School Board of Niagara

The trainees are required to read the training package in its entirety and complete the quizzes for the Worker Awareness and WHMIS training prior to beginning the first placement. Quizzes are to be marked by the Placement Supervisor. A grade of 80% or higher must be achieved.

The Associate Teachers are responsible for completing site-specific training with the trainee using the Safety Orientation Checklist (Appendix A) prior to or on the trainee's first day of each placement.

The completed Safety Orientation Package and Safety Orientation Checklist must be submitted to the DSBN Administrator prior to or on the trainee's first day of each placement and will remain in the DSBN Administrator's office during the duration of the trainee's placement at that site.

The Health and Safety Orientation Package is valid for the school year in which it is completed. However, the Safety Orientation Checklist is valid only at the specific site in which it is completed.



HEALTH AND SAFETY AT WORK

Prevention Starts Here for Workers

Welcome

Welcome to the health and safety at work - Ministry of Labour <u>mandatory</u> module for workers. This information and instruction is divided into the following sections:

- Section 1: Get on Board

- Section 2: Get in the Know

- Section 3: Get Involved

- Section 4: Get More Help



Health and Safety at Work

The learning module you are about to complete:

- Explains your rights and responsibilities on the job, and tells you what Ontario's OHSA expects from employers, supervisors and workers
- o Will show you what you need to know and understand so you can work safely
- Explains that everyone in the workplace, from the employer to the newest worker, has different but important duties to keep the workplace safe
- Explains how employers have the most authority in the workplace; they have the greatest responsibility
- Explains how to prevent injuries and illnesses at work

Section 1: Get on Board

At the conclusion of this section, you will be able to:

Describe why you are important to health and safety.

Describe the duties of the employer.

Describe the duties of the supervisor.

Describe the duties and rights of the worker.

The Facts:

- Every job has hazards, no matter how safe it looks
- You should be aware of anything in the workplace that could hurt you or make you sick
- People starting new jobs are three times more likely to sustain a workplace injury in the first month of the job
- New and young workers are often not told, or do not understand the hazards of the job.
 Therefore, they're the most likely to get injured at work.

Purpose:

The purpose of the OHSA and regulations is to keep workers from getting sick or injured on the job. There are inspectors from the Ministry of Labour who make sure the laws are followed and may issue orders or lay charges if they are not. If a person is convicted of breaking the law, there are penalties such as fines or time in prison.

Duties of the EMPLOYER

OHSA says every employer needs to:

- Make sure workers know about hazards and dangers in the workplace, as well as how to work safely
- Ensure every supervisor knows how to enforce health and safety practices
- Create health and safety policies and procedures for the workplace
- Make sure everyone knows and follows health and safety procedures
- Make sure workers wear and use protective equipment
- Do everything reasonable to keep workers from being injured or acquiring illness on the job

Duties of the SUPERVISOR

- Supervisors are a crucial part of your workplace's Internal Responsibility System. This is a very important concept for workplace health and safety
- Under the OHSA, every supervisor is also considered to be a worker and has the same workplace duties and rights as a worker

The OHSA also gives supervisors specific duties related to their role as a supervisor, including:

- Telling workers about hazards, dangers, and responding to their concerns
- Showing workers how to work safely, and making sure they follow the law, and the workplace health and safety policies and procedures
- Making sure workers wear and use the right protective equipment
- Doing everything reasonable in the circumstances to protect workers from being hurt or getting a work-related illness

Duties of a WORKER

As per the OHSA, every worker is required to:

- Follow the law, as well as the workplace health and safety policies and procedures
- Always wear or use protective equipment and clothing that the DSBN requires
- Work and act in a way that won't hurt them or any other worker
- Report any hazard they find in the workplace to their supervisor

Rights of a WORKER

- **Right to Know:** All workers have the right to know about potential or identified hazards in the workplace.
- Right to Participate: Workers have the right to receive workplace health and safety training, as well as participate with the Multi-Workplace Joint Health and Safety Committee.
- Right to Refuse Unsafe Work: If a worker deems a working condition hazardous, it
 must be brought to the attention of the supervisor and the Health and Safety Site
 Representative. Notification to the Health and Safety Officer must occur as well.

Section 2: Get in the Know

At the end of this section you will be able to:

- Explain that you have the right to know about workplace hazards.
- **Identify** examples of workplace hazards.
- **Identify** ways that DSBN and supervisors can protect you from workplace hazards.
- **Describe** other ways to find out about workplace hazards.

You Need to Know About Hazards

- A hazard is anything that can hurt you or other people you work with
- Injuries from hazards happen every day in Ontario workplaces
- There is a hazard at the root of every work-related injury or sickness
- Sometimes hazards may combine to create a larger hazard
- You need to know about hazards in your workplace before you start working



Common Hazards

Here are some of the most common hazards in Ontario workplaces:

- Repetition
 - It is even riskier when you are in an awkward position or use a lot of force; think
 of someone who bends over all day or someone who lifts heavy things
 repeatedly, especially if it is above the shoulders or below the knees.
- Slips, Trips, or Falls
 - Think of something as easy as slipping on coffee spilled on the floor, tripping in a cluttered work area, or falling off a raised platform that has no guard rails.

- Motorized Vehicles
 - Think of being hit by a contractor vehicle that is backing up on the school site, or someone getting hit by a parent in the Kiss and Ride drop off.
- Using or Working near Machinery
 - Machines can be very hazardous as many workers have been seriously injured by the equipment they operate.
- Workplace Violence
 - It can happen to people in many workplaces. Schools are not immune to the workplace violence issues.
- Less Visible Hazards
 - o Chemicals, fumes, or toxic dust
- Germs and Viruses in schools
- Loud noises
- Poor lighting
- Sharp objects or equipment
- Objects that can fall from a height
- Electricity and other energy sources

Important Questions About Your Job that You Need to Know the Answers to:

- What are the hazards of my job?
- Is there any special training needed for my job?
- Do I have the right protective equipment for my job?
- If I have any questions about safety who do I ask?
- How do I report an injury?
- What do I do in an emergency?
- Who do I report unsafe equipment to?
- Am I focusing on the task and doing it safely?
- When will I get training about job specific hazards?

Protecting You from Hazards

Engineering Controls:

- The best way is to eliminate the hazard completely. A good example is replacing a toxic cleaning chemical with a non-toxic one.
- If the hazard cannot be eliminated, consideration should be given to reducing the hazard. An example of this is improving ventilation systems, or putting a barrier around a dangerous piece of equipment. These are called "engineering controls".

Administrative Controls:

- Reduce how long or how often you come in contact with the hazard.
- This can be done by arranging work differently so that you are not exposed as long.

Personal Protective Equipment:

- The OHSA says that one of your duties as a worker is always to wear **Personal Protective Equipment (PPE)** that your employer requires.
- If the OHSA or DSBN says you have to wear or use these things to do the work, you must wear the PPE.
- Some of the machinery in your workplace may have a guard which protects you from coming in contact with a moving part.
- If the DSBN has deemed that the guard has to be used, it must be used.
- The OHSA says that you must never remove or disable a protective device that is required.
- The OHSA says you have to make sure you don't use any equipment or machine in a way that could hurt you or any other worker.

Other Ways to Find Out About a Hazard

- Review DSBN's health and safety policies, procedures, and guidelines. Follow safety procedures as outlined.
- If you see a hazard on the job or a "close call" report it to your supervisor. Someone who knows how to fix it and can deal with it so that no one gets hurt. "Prevention starts here" when everyone knows about hazards.

- WHMIS:

- The law says every worker has to have information and training about chemicals or hazardous materials in the workplace.
- The Workplace Hazardous Materials Information System (WHMIS) Regulation says that you need to receive information and instruction on how to use, store and get rid of hazardous materials safely.
- This information is available on labels and Safety Data Sheets (SDS).

- Equipment:

- If your job involves using equipment, know how to operate that equipment safely.
- One way to get information on the safe use of machinery is from the operator's manual. It tells you about hazards and has instructions on how to use the equipment safely.
- o If there is no manual available for the equipment you are using, you should ask your supervisor for information on how to operate the equipment safely.

Section 3: Get Involved

At the conclusion of this section you will be able to:

- Explain your right to participate in all aspects of health and safety in the workplace.
- Give examples of ways that you can participate in health and safety in your workplace.
- Describe the roles of multi-workplace joint health and safety committee (MWJHSC) and health and safety site representatives

Get Involved

- Understanding the Occupational Health and Safety Act is all about knowing the health and safety duties of employers, supervisors, and workers and putting them into action.
- If you see a hazard on the job you have a duty to speak up (e.g. report equipment that is not working properly).
- It is important that you report to your supervisor or employer and injury, incident, or close call, so that they can prevent these kinds of things from happening again in the future.
- You can ask questions when you are not sure about any health and safety issue.
- You can help the representative or committee with health and safety inspections by pointing out possible hazards in your work area.
- You can take health and safety training seriously and put what you learn into practice

The RIGHT to Participate in Health and Safety Summary

- The OHSA gives you the right to participate and get involved in keeping your workplace safe and healthy.
- Below are two ways in which you can participate in keeping your workplace safe.
 - 1) Report hazards to your supervisor(s)
 - 2) Provide prevention solutions

Health and Safety Representatives and MWJHSC

- The MWJHSC plays an important role in helping to keep workplaces safe.
- Health and Safety Site Representatives perform monthly inspections.
- Information from these inspections is brought back to the MWJHSC.
- The MWJHSC then makes recommendations to the DSBN to improve health and safety.
- There are employer and worker members on the MWJHSC, everyone has a say in identifying and solving problems.

What to Look For and What to Ask

- The OHSA says that your employer must post the OHSA and other Health and Safety Information.
- Items found on the **Health and Safety bulletin board**:
 - Posted names of your MWJHSC members
 - Policy E3 (Health and Safety) and E15 (Workplace Violence and Harassment Prevention)
 - Current copy of Minutes of the MWJHSC meetings
 - Latest copy of your school's Monthly Inspection report
 - Latest copy of your school's Annual Inspection report
 - WSIB Poster: In Case of Injury at Work (4 step) of what to do if a worker is injured at the workplace
 - "Health & Safety at Work: Prevention Starts Here" poster
- Always be on the lookout for hazards to yourself or others.
 Before you start your workday, ask yourself questions like:
 - o Is any of the machinery broken?
 - o Are there warning labels or signs?
 - o Is there any moving equipment you could get caught in?
 - o Is there something you could slip or trip on?
 - o Do you need protective equipment?
 - O Do you know how to do this job safely?
 - o Is there another worker nearby who can get hurt by what you am doing?
 - o Is this task more than you can physically handle?
 - o Have you been trained to do this job safely?
 - o How do you report hazards?
 - o Are there any chemicals in the workplace that will make you sick?
- All of these questions are good questions for a worker to ask. Prevention starts here by following the OHSA and the workplace Health and Safety procedures.

Be a Safety Role Model: How you work, and the way you think and talk about the work, can affect the safety of the people you work with.

Section 4: Get More Help

At the conclusion of this section you will be able to:

- Explain your right to refuse unsafe work.
- Recognize that your employer cannot threaten, fire or dismiss you for exercising your rights or asking your supervisor to do what the OHSA says they must do.
- Seek additional information about health and safety.



You Are Not Alone

- If you see something dangerous that could hurt someone you must report it to your supervisor or your employer.
- It's also a good idea to tell your Health and Safety Site Representative or MWJHSC member as well.
- In some circumstances, the Ministry of Labour may need to be involved.
- The Ministry's job is to prevent workplace injuries and illnesses and enforce the Occupational Health and Safety Act.
- You cannot be disciplined for doing what the OHSA expects you to do.
- If you feel that your employer is taking action against you for raising a health and safety concern, you can discuss it with a MWJHSC member

The RIGHT to Refuse Unsafe Work

- If you have reason to believe that the work you are doing or the equipment you are using might hurt you or someone you work with, you can refuse to do that work.
- A work refusal is carried out in the following steps:
 - 1. Tell your employer or supervisor and your Health and Safety Representative or a MWJHSC member that you think you are in danger and you are not going to do the work, as well as why.
 - 2. Your supervisor, DSBN, health and safety site representative, or MWJHSC will try to solve the problem.
 - 3. If the problem is not fixed or you still have reason to believe the work is unsafe, you can continue to refuse the work.
 - 4. A Ministry of Labour Inspector will be called in to investigate.
- Some workers, such as teachers have a limited right to refuse work. For example, care of students is the teachers' first priority.
- Talk to your MWJHSC member if you think your right to refuse work may be limited by the work you do.

Conclusion

Please complete the following quiz to conclude the Worker Health and Safety Awareness in the 4 Steps module as required by the OHSA.

HEALTH AND SAFETY AT WORK: PREVENTION STARTS HERE QUIZ District School Board of Niagara

Trainee	<u> </u>				
Name:		Signature:	Date:		
Placeme	ent Su	pervisor			
Name:		Signature:	Date:		
Grade: _		-			
	Who don the	oes the OHSA put the greatest responsibilitiob?	ty on to make sure no one gets hurt or sick		
	a.	Teachers			
	b.	Students			
	c.	Caretakers			
	d.	DSBN			
2. V	Where	should you be able to find Health & Safety	information in your workplace?		
	a.	On the SMART Board			
	b.	In the classroom			
	c.	In the Administrator's office			
	d.	On the Health & Safety Bulletin Board			
3. V	When	s it okay to take safety shortcuts on the job	?		
	a.	Always			
	b.	Wednesdays			
	c.	Never			
	d.	Sometimes			
4. V	Who sl	nould you report a hazard to?			
	a.	Your colleagues			
	b.	The Niagara Regional Police			
	c.	Your Supervisor			
	d.	The Ministry of Labour			

5. Who can help you with any concerns you may have about working safely?

- a. The caretaker
- b. Your colleagues
- c. Google
- d. The Health & Safety Site Representative

6. If you have any doubts about the safety of the work you are doing, who should you ask?

- a. Your colleagues
- **b.** Your Supervisor
- **c.** The secretary
- d. The caretaker

7. Who can you call if your supervisor is having difficulty dealing with a hazard?

- a. MWJHSC
- **b.** Health and Safety Site Representative
- c. Health and Safety Officer
- **d.** All of the above

8. When should you find out about hazards on the job?

- a. After working with the hazard
- **b.** When your supervisor feels like telling you
- c. Before you begin work
- **d.** After you have been injured by a hazard

9. Can an employer in Ontario punish you for doing what the OHSA says?

- a. Under certain circumstances
- **b.** Sometimes
- c. Never
- d. Always

10. As a worker, which one of the items below is your responsibility?

- **a.** To worry only about oneself in health and safety matters
- **b.** To tell the employer what they must do
- c. To wear PPE assigned
- **d.** To direct the work



WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM

WHMIS Training

Introduction

Every day, workers across Canada are exposed to hazardous materials on the job. Many materials within DSBN workplaces have the potential to cause illness or injury, including:

- Cleaning Products
- Solvents
- Class 5, 6, 7 and 11 Pesticides
- Paints
- Chemicals

WHMIS is designed to ensure employers and workers have up to date information about hazardous materials used in the workplace.

New WHMIS Implementation

As of December 1, 2018 the transition period for suppliers and distributors is over — they must be in full compliance with **WHMIS** 2015 requirements for labels and safety data sheets. The DSBN should only receive hazardous products with **WHMIS** 2015 labels and safety data sheets; and will have to bring their existing **WHMIS** 1988 inventories of hazardous products into compliance with **WHMIS** 2015. **WHMIS** 2015 will be called **WHMIS**

Things that have changed:

- adopt new international standards for classifying hazardous workplace chemicals and giving information and safety data sheets
- update the information on labels to include pictograms, instead of symbols, to match hazard classes and make them easier to understand
- update the format of safety data sheets
- classify hazardous products into two broad hazard groups, physical hazards and health hazards
- update the term "controlled products" to "hazardous products" to be consistent with federal WHMIS legislation
- present information in a consistent manner in all safety data sheets, regardless of supplier
- ensure that the information that workers and emergency responders need most appears first on labels and safety data sheets
- The requirement to update a material safety data sheet every three years, as was the case under **WHMIS** 1988, no longer applies. For **WHMIS** 2015, the SDS must be accurate at the time of every sale or importation of the hazardous product.

Things that are the same as before:

Workers must be educated and trained in WHMIS

- Workplace labels the labels may look a bit different, and have some new or different information on it
- SDS must be readily available and accessible for workers

Why is it important to work safely with hazardous products?

- Everyone in the workplace has responsibilities
- Prevents injuries or illness in the workplace
- Some products can cause immediate harm; for others it may not occur until much later when it is too late to change
- Unintentional spread of the product to other areas and expose unprotected individuals (e.g., cafeteria, washrooms, or homes)

Overall Goal

It is important that you know about hazardous products you work with, and know how to protect yourself by working safely.

At the end of this session, you should be able to answer these three important questions:

- What are the hazards of the product?
- How do I protect myself from those hazards?
- What do I do in case of an emergency?

Common Elements

The elements that will be discussed here are:

- Hazard groups, classes, and categories
- Pictograms
- Signal words
- Hazard statements
- Precautionary statements



Hazard Groups

Hazard Group -> Hazard Class -> Hazard Category

There are 2 major hazard groups under WHMIS

- **Physical** flammable liquid, gases under pressure
- **Health** skin corrosion/irritation, acute toxicity

Within each hazard group, there are hazard classes.

- Each hazard group includes hazard classes that have specific hazardous properties.
- For example under the physical hazards group, there are hazard classes that are based on the physical or chemical properties of the product such as flammable, oxidizing, and corrosive. The health hazard group includes hazard classes that are able to cause a health effect such as being an irritant to eyes, or being acutely toxic (poisonous). It is not uncommon for a product to belong to more than one hazard group. For example, benzene has both hazardous physical and health properties.

Hazard Classes

Hazard Group -> Hazard Class -> Hazard Category

Each hazard group is divided further into hazard classes. Under WHMIS, there are:

- 19 physical hazard classes
- 12 health hazard classes

There are also 2 environmental classes from GHS but these classes are not mandatory in Canada.

Physical Hazard Classes

Physical Hazard Classes

- Explosives*
- Flammable gases
- Flammable aerosols
- Oxidizing gases
- Gases under pressure
- Flammable liquids
- Flammable solids
- Self-reactive substances and mixtures
- Pyrophoric liquids

- Pyrophoric solids
- Self-heating substances and mixtures
- Substances and mixtures which, in contact with water, emit flammable gas
- Oxidizing liquids
- Oxidizing solids
- Organic peroxides
- Corrosive to metals

Flammable gases, Flammable aerosols, Flammable liquids, Flammable solids

• These four classes cover products that have the ability to ignite (catch fire) easily and the main hazards are fire or explosion.

^{*}WHMIS is not adopting the explosive hazard class. It is covered by other legislation in Canada.

Oxidizing gases, Oxidizing liquids, Oxidizing solids

 These three classes cover oxidizers, which may cause or intensify a fire or cause a fire or explosion.

Gases under pressure

 This class includes compressed gases, liquefied gases, dissolved gases and refrigerated liquefied gases. Compressed gases, liquefied gases and dissolved gases are hazardous because of the high pressure inside the cylinder or container. The cylinder or container may explode if heated. Refrigerated liquefied gases are very cold and can cause severe cold (cryogenic) burns or injury.

Self-reactive substances and mixtures

 These products may react on their own to cause a fire or explosion, or may cause a fire or explosion if heated.

Pyrophoric liquids, Pyrophoric solids, Pyrophoric gases

• These products can catch fire very quickly (spontaneously) if exposed to air.

Self-heating substances and mixtures

 These products may catch fire if exposed to air. These products differ from pyrophoric liquids or solids in that they will ignite only after a longer period of time or when in large amounts.

Substances and mixtures which, in contact with water, emit flammable gases

• As the class name suggests, these products react with water to release flammable gases. In some cases, the flammable gases may ignite very quickly (spontaneously).

Organic peroxides

These products may cause a fire or explosion if heated.

Corrosive to metals

These products may be corrosive (chemically damage or destroy) to metals.

Combustible dust

• This class is used to warn of products that are finely divided solid particles. If dispersed in air, the particles may catch fire or explode if ignited.

Simple asphyxiants

These products are gases that may displace oxygen in air and cause rapid suffocation.

Physical hazards not otherwise classified

This class is meant to cover any physical hazards that are not covered in any other
physical hazard class. These hazards must have the characteristic of occurring by
chemical reaction and result in the serious injury or death of a person at the time the
reaction occurs. If a product is classified in this class, the hazard statement on the label
and SDS will describe the nature of the hazard.

Health Hazard Classes

Health Hazard Classes

- Acute toxicity
- Skin corrosion/irritation
- Serious eye damage/ eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity

- Reproductive toxicity
- Specific target organ toxicity single exposure
- Specific target organ toxicity repeated exposure
- Aspiration hazard

Acute toxicity

- These products are fatal, toxic or harmful if inhaled, following skin contact, or if swallowed.
- Acute toxicity refers to effects occurring following skin contact or ingestion exposure to a single dose, or multiple doses given within 24 hours, or an inhalation exposure of 4 hours.
- Acute toxicity could result from exposure to the product itself, or to a product that, upon contact with water, releases a gaseous substance that is able to cause acute toxicity.

Skin corrosion/irritation

 This class covers products that cause severe skin burns (i.e., corrosion) and products that cause skin irritation.

Serious eye damage/eye irritation

• This class covers products that cause serious eye damage (i.e., corrosion) and products that eye irritation.

Respiratory or skin sensitization

 A respiratory sensitizer is a product that may cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin sensitizer is a product that may cause an allergic skin reaction.

Germ cell mutagenicity

This hazard class includes products that may cause or are suspected of causing genetic
defects (permanent changes (mutations) to body cells that can be passed on to future
generations).

Carcinogenicity

This hazard class includes products that may cause or are suspected of causing cancer.

Reproductive toxicity

- This hazard class includes products that may damage or are suspected of damaging fertility or the unborn child (baby).
- Note: There is an additional category which includes products that may cause harm to breast-fed children.

Specific target organ toxicity – single exposure

- This hazard class covers products that cause or may cause damage to organs (e.g., liver, kidneys, or blood) following a single exposure.
- This class also includes a category for products that cause respiratory irritation or drowsiness or dizziness.

Specific target organ toxicity – repeated exposure

 This hazard class covers products that cause or may cause damage to organs (e.g., liver, kidneys, or blood) following prolonged or repeated exposure.

Aspiration hazard

 This hazard class is for products that may be fatal if they are swallowed and enter the airways.

Biohazardous infectious materials

• These materials are microorganisms, nucleic acids or proteins that cause or is a probably cause of infection, with or without toxicity, in humans or animals.

Health hazards not otherwise classified

This class covers products that are not included in any other health hazard class. These
hazards have the characteristic of occurring following acute or repeated exposure and
have an adverse effect on the health of a person exposed to it - including an injury or
resulting in the death of that person. If a product is classified in this class, the hazard
statement will describe the nature of the hazard.

Environmental Hazard Classes

- Hazardous to the aquatic environment
- Hazardous to the ozone layer

NOTE: It is not mandatory to the environmental hazard classes in Canada, but they are mentioned because you may see these classes identified on labels or SDS for the products you use

Hazard Categories

Hazard Group -> Hazard Class -> Hazard Category

A category is a sub-division of a hazard class. A category identifies the **degree of hazard** within a hazard class.

- Category 1 is the highest level of hazard
- Category 2 in the same class has a lower degree of hazard than Category 1
- And so on.

Sometimes letters are used, A being the highest.

TIP! The numbering system tells you about the level of hazard present.

- The objective is not to remember how many categories are in each hazard class. The key point to remember is that a category 1 in any hazard class has the greatest hazard.

- This numbering system gives you clues about the precautions and control measures that will be required to prevent exposure. Learn to look for this information on labels and safety data sheets. If you are unsure about something, ask your supervisor.
- Categories may also be identified with alphabetical references (e.g., A is a greater hazard than B, etc.)

Example of Category Ranking

The "Flammable liquid" hazard class has 4 categories defined by flash points (FP) and boiling points (BP)

- Category 1: FP<23 deg C, BP ≤35 deg C
- Category 2: FP<23 deg C, BP ≥35 deg C
- Category 3: FP ≥23 deg C, BP ≤60 deg C
- Category 4: FP>60 deg C, BP ≤93 deg C

Category 1 has the lowest flash point and boiling point, making it the most hazardous category for handling and storage.

! The key point is to know that category 1 has the greatest hazard

Hazard Pictograms

Ten hazard pictograms are used

- Hazard classes and categories are assigned a pictogram
- Each has a distinctive red "square set on point" shape with a solid border (except the biohazardous infectious materials pictogram)
- The pictogram represents the potential hazard (e.g., fire, health hazard, corrosion, etc.)
- Hazard pictograms are used to represent the hazard classes. Each hazard class or category has an assigned hazard pictogram. Most pictograms have a distinctive "square on point" border which is solid red in colour.
- Inside this border is a symbol that represents the potential hazard (e.g., fire, health hazard, corrosive, etc.).
- Together, the symbol and the border are referred to as a pictogram.
- The biohazardous infectious material symbol remains the same round black circle as previously used in WHMIS 1988.
- The pictogram provides an image that immediately shows a worker what type of hazard is present.

- This way, even with a quick glance, someone can realize that, for example, the product is a danger to health, corrosive, or may be a fire hazard.

Exploding bomb		Flame over circle
Corrosion	\Diamond	Gas cylinder
Health hazard	(!)	Exclamation mark
Flame	¥	Environment (not mandatory)
Skull and crossbones	®	Biohazardous infectious materials

Education and training for these hazard classes is beyond the scope of this training module.

Exploding Bomb Pictogram

Types of explosive hazards

- Unstable explosives
- Mass explosion
- Severe projection
- Fire, blast or projection
- May explode in fire



Classes using this symbol:

- Explosives (includes (sensitivity to shock, impact and friction; thermal instability; fire and heat hazards) (not mandatory)
- Self-reactive substances (Type A and B)
- Organic peroxides (Cat. A, and B)

Flame Pictogram

Flammables can ignite easily and burn rapidly

Fires need: fuel, oxygen, and heat (e.g., an ignition source such as a spark) Common classes that use this pictogram:

- Flammable liquids
- Flammable solids
- Flammable aerosols
- Flammable gases

Flame Over Circle Pictogram

The "o" is for oxygen and the flames show that oxidizers are a significant fire hazard.





Oxidizers make fires:

- Burn more intensely
- Burn faster
- Occur easier, sometimes without an ignition source

Three classes use this pictogram

- Oxidizing gas
- Oxidizing liquids
- Oxidizing solids

Gas Cylinder Pictogram

The 4 hazard categories for Gases under pressure are:

- Compressed gas
- Liquefied gas
- Refrigerated liquefied gas
- Dissolved gas

Other potential hazards to consider:

- Health hazards
- Uncontrolled release of high pressure gas
- Suffocation
- Frostbite

Corrosion Pictogram

This pictogram is used for the physical hazard class:

Corrosive to Metals.

- Can attack (corrode) some metals

Also used by two health hazard classes:

- Skin corrosion/irritation (category 1, 1A to 1C), and Serious eye damage/eye irritation (category 1)
- Can cause destructive, irreversible damage to the skin and eyes.

Skull and Crossbones Pictogram

These products are fatal, toxic or harmful if inhaled, following skin contact, or if swallowed.

This class represents acute toxic (short-term) effects.

Health Hazard Pictogram

Pictogram is used for products that cause chronic health effects:









- Respiratory or skin sensitization Respiratory sensitizer (cat. 1, 1A, 1B) Asthma-like response
- Germ cell mutagenicity Causes changes to cells that can be passed on to offspring.
- Carcinogenicity Can cause cancer
- Reproductive toxicity Impacts on human fertility, development of unborn children
- Specific Target Organ Toxicity (STOT) single exposure (cat. 1 and 2) -
- Impact on specific organs or systems following an exposure
- STOT repeated exposure Impact on specific organs or systems following repeated exposure
- Aspiration hazard When products can enter the lungs and cause serious lung injury

Exclamation Mark Pictogram

The hazard classes that use this pictogram are:

- Respiratory or skin sensitization Skin sensitizer (cat. 1, 1A, 1B) -
- Causes allergy response by skin (redness, itching, swelling, etc.)
- Specific target organ toxicity Single exposure (cat. 3) e.g.,
 coughing
- Skin corrosion/irritation Skin irritation (cat. 2) e.g., redness or inflammation that is reversible
- Serious eye damage/eye irritation Eye irritation (cat. 2, 2A) e.g., effects that are reversible within 21 days; also severe skin irritants
- Acute toxicity Oral, Dermal, Inhalation (cat. 4) products that may be harmful if inhaled, swallowed or by skin contact

Environment Pictogram

- Pictogram is used for substances that can have an effect on the environment. Use of these classes and pictogram is not mandatory in Canada.
- Classes
 - o Hazardous to the aquatic environment
 - Hazardous to the ozone layer

Biohazardous Infectious Materials Pictogram

- These are materials or organisms (or the toxins they produce) that can cause diseases in people or animals.
 - o Includes: bacteria, viruses, fungi, parasites
- These organisms can live in body tissues and fluids.
- Usually found in hospitals, health care facilities, laboratories, veterinary practices or research facilities.





Hazard Statements

Hazard statements are brief, standardized sentences that help to describe the degree of the hazard. Examples include:

- Extremely flammable gas
- Contains gas under pressure; may explode if heated
- Fatal if inhaled
- Causes eye irritation

Tip! The wording of the hazard statement helps describe the degree of hazard. For example, "May cause cancer" indicates a higher hazard than "Suspected of causing cancer".

Signal Words

There are only two signal words used:

- "Danger" and "Warning".

Danger is used for higher hazards.

Note: Some of the lower ranking hazard class/categories do not use a signal word.

Precautionary Statements

Precautionary statements provide information about how to minimize or prevent exposure including storage, handling, first aid, personal protective equipment, and emergency measures.

Examples include:

- Keep container tightly closed
- Wear protective gloves/protective clothing/eye protection/face protection
- If exposed or concerned: Get medical advice/attention
- Fight fire remotely due to the risk of explosion
- Protect from sunlight

Putting these elements together

Together, the pictogram, signal word, hazard statement, and the hazard class and category name provide you with information about that hazardous product.

Class/Category	Skin corrosion/ irritation - Category 1	Skin corrosion/ irritation - Category 2	
Pictogram	KI WAS TO SERVICE AND ADMINISTRATION OF THE PARTY OF THE		
Signal word	Danger	Warning	
Hazard statement	Causes severe skin burns and eye damage.	Causes skin irritation.	

Consumer Products

How do consumer products fit into the picture?

Any product that is packaged in a size typically available to retail consumers and available to the public is exempt from WHMIS.

The symbols for Consumer Products are different than those of WHMIS.

However, once a Consumer Product is brought onto the property of the DSBN, it becomes regulated by the Occupational Health and Safety Act and WHMIS Regulations. All staff must follow WHMIS. SDS and labelling requirements.

Consumer Product Warning Labels

	Hazard	Precautions	Degrees of Hazard	Label Warning
TOXIC PRODUCTS				
	Poisonous May be lethal.	Do not get in eyes or on skin. Do not breathe fumes.	Very toxic	 Extreme Danger Sales Restricted
	or May cause serious and	Wear protective clothing and safety equipment as indicated	Toxic	- Danger
	irreversible effects.	on the label.	Harmful	- Caution
CORROSIVE PRODI	UCT			
	Causes Burns	Do not mix with other chemicals.	Very Corrosive	- Extreme Danger
	Will cause chemical burns to the skin, eyes and lungs.	Do not get in eyes or on skin. Do not breathe fumes	Corrosive	- Danger
	May form dangerous fumes when mixed with other chemicals.	Do not swallow. Wear protective clothing as indicated on the label.	Irritant	- Caution
FLAMMABLE PROD	UCT			
	Fire hazard	Read the specific instructions on	Very Flammable	- Extreme danger
SAC	May ignite if exposed to a spark or flame	the label. Use only in well ventilated areas.	Flammable	- Danger
63	or May spontaneously ignite	Keep away from flames and objects that spark. Store in a safe location.	Spontaneously Combustible	- Caution
PRESSURIZED CON	ITAINER		Example of Cons	
	Explosion Hazard Under Pressure may explode if heated. If ruptured hazardous contents will be released	Do not puncture. Do not burn. Store away from heat.	The symbols and hearnd war or main display pane DANC POIS CORROSIVE	SER ON CORROSIF
QUICK SKIN BONDI	NC		These warnings may be loca on the displayed par	t of the container.
ADHESIVES	Bonds Skin Instantly	Do not get in mouth, eves or on skin.	English Warnings, Precautions, It First Ald and hazardous ingredients	French Vise en garde, precautions et premier soins et ingredients dangereux

Supplier Label

Labels alert you to the major hazards and provide some precautions. Supplier labels will look different than the old **WHMIS** labels and will have some different information. Labels use all of the elements we just discussed.

A supplier label will have the following elements:

- Product Identifier name of the product
 Pictogram(s) the symbol that represents the hazard class. In some cases, no pictogram is required.
- Signal word a word used to alert the reader to a potential hazard and to indicate the severity of the hazard.
- Hazard statement(s) an assigned statement that describes the hazard(s)
- Precautionary statements standardized phrases that describe measures to be taken to minimize or prevent adverse effects resulting from exposure to a hazardous product or resulting from improper handling or storage of a hazardous product.
- Initial supplier identifier the name, address and telephone number of either the Canadian manufacturer or the Canadian importer.



Hazardous ingredients may or may not be listed on the label. Suppliers have this choice.

- The elements we just discussed such as the pictograms, signal words, hazard statements and precautionary statements will be grouped together on a label. The label will also include the product name and the supplier identification.
- Labels must be available in both English and French.
- There is no set format for a label, however. To find the label, look for the pictogram(s), signal word, and hazard statements.

Workplace Label

You may need to make a workplace label. It should have the:

- Product name (matching the SDS)
- Safe handling precautions
- Reference to the SDS (if available)

A workplace label is used, for example, when you transfer a product to a new container.

- A workplace label may also be used when a product is made and used on-site or when the supplier label is missing or not readable.
- Other ways to identify hazardous products may be used in the workplace in some situations.
 This alternative identification may include warning signs, symbols, placards and coding systems. They can be used as long as everyone

PRODUCT NAME

WHMIS HAZARD SYMBOLS

SAFE HANDLING PRECAUTIONS

REFER TO SAFETY DATA SHEET FOR ADDITIONAL INFORMATION

in the workplace has had the appropriate education and training about the identification system.

Safety Data Sheets (SDS)

SDS:

- Provide more detailed information than the label
- Use a standard 16-section format. Information must always be in the same section.
- Must be accessible in the workplace (e.g., in a binder or stored electronically)
- The requirement to update a material safety data sheet every three years, no longer applies. The SDS must be accurate at the time of every sale. Suppliers have an ongoing responsibility to make sure SDS and labels are accurate and compliant. SDS must be updated when there is new information that changes how the hazardous product is classified, or when there are changes to the way you will handle or store or protect yourself from the hazards of the product.

SDS Sections

Section 1: Identification

Section 2: Hazards Identification

Section 3: Composition/Information on

Ingredients

Section 4: First-Aid Measures

Section 5: Fire-fighting Measures

Section 6: Accidental Release Measures

Section 7: Handling and Storage

Section 8: Exposure Controls/Personal

Protection

Section 9: Physical and Chemical Properties	Section 13*: Disposal Considerations
Section 10: Stability and Reactivity	Section 14*: Transport Information
Section 11: Toxicological Information	Section 15*: Regulatory Information
Section 12*: Ecological Information	Section 16: Other Information

^{*} Content for these sections is not mandatory in Canada

How to Read and Use the SDS

Use the SDS to help learn about:

- The hazards of the product
- How to work safely with the product
- First-aid measures
- Emergency measures

Always read the SDS for the products you use. If unsure, ask your supervisor before handling the product

4 Main Purposes of an SDS

- a) Identification for the product and the supplier
- b) Hazards health, physical (fire, reactivity), and environmental (if provided)
- c) Prevention steps you can take to work safely, and reduce or prevent exposure or an emergency
- d) Response appropriate responses in various situations (e.g., first-aid, fire, accidental release)

Accessing SDS

All SDS for products within the workplaces have been provided for all staff by the DSBN. Please ask your associate teacher for the SDS applicable to your workplace.

Multi-hazard products

Many products will have more than one hazard class. For example: Gasoline has characteristics that fall into multiple hazard classes:

- flammable liquids
- serious eye damage/eye irritation
- specific target organ toxicity single exposure

Always review the SDS and label so you are aware of all of the potential hazards, and follow the precautions and advice provided.

Before Using a Product

- ✓ Always check for a label
- ✓ Read, understand, and follow the instructions on the label (and SDS). Ask your supervisor if you are unsure of any part of its use or storage
- ✓ Ask for new label if the old one cannot be seen or read properly
- ✓ Do not use a product that is not labelled

General Handling Information

When using any product:

- Check the label and SDS for information about the hazards and necessary precautions.
- Understand emergency procedures and know what you are to do in an emergency.
- Practice good personal hygiene Wash hands after handling; before smoking, eating or drinking; or before going to the toilet.
- If personal protective equipment (PPE) is needed, be sure you have the correct training in its selection, use, fit, and maintenance.
- Understand ALL of the hazards associated with the product and how to use it safely. Read the label and the SDS thoroughly.
- Where possible, use a chemical or product that is less hazardous.
- Understand and practice emergency procedures so that you know what to do if it becomes necessary.
- Have appropriate fire extinguisher available.

Workplace Specific Training

What are the hazards of the product?

Understand the label and SDS

How are you protected from those hazards?

• Understand the controls used in the workplace.


What do you do in case of an emergency?

 Procedures to follow in the event of a spill, release, or fire; or if health effects are noticed.

As a worker, can you answer these three questions about every product you work with or may be exposed to?

- What are the hazards of the product?
- How are you protected from those hazards?
- What do you do in case of an emergency?


Properties of Hazardous Materials



Routes of Entry

Inhalation

This is the most common route of entry for a hazardous material. Once a hazardous material becomes inhaled, it can either exert its' effects directly on the respiratory system, or onto other organs, tissues or blood. Dust particles that reach the lungs can cause scarring of the lung. Smaller particles such as welding fumes can pass through the lungs into the bloodstream.



Absorption

Some hazardous materials have the potential to be absorbed through the skin. The hazardous agent can either exert its effects directly on the skin (dermatitis), or be absorbed and travel to other target organs and systems. Usually these hazardous materials are identified on the SDS's by the "skin notation," which indicates that there is a potential for exposure through the skin, mucous membranes or eyes, or that



direct damage to the skin can result. This indicates that measures should be taken to prevent absorption such as the use of personal protective gowns, aprons, gloves, etc.

Injection

This route of entry into the human body occurs when exposure is a result of hazardous material entering the body




through an accidental penetration of the skin. Accidental injection is usually the result of an injury from a sharp object such as a needle or glass. However it can be a result of materials being forced through the skin by the force of a gas such as compressed air. Employees, such as E.A./C.C.W.'s may also have concerns about being bitten and exposed to bodily fluids.

Ingestion

Ingestion of toxic materials may occur as a result of poor hygiene practices such as eating in a contaminated work area, not washing your hands before a meal or smoking. Once swallowed, toxic substances can enter the digestive tract where they may exert their effects or be carried to other target organs via the bloodstream. Some hazardous materials may accumulate in the liver and kidney. Others affect the central nervous system. Inhaled materials can be collected in the mucous and subsequently ingested.



Target Organs




Two key body organs, the liver and kidneys, play a major role in detoxifying and balancing the body's systems.

- Complex chemical reactions occurring in the liver break down unwanted substances.
 Depending upon the concentration and the nature of the hazardous substance entering the body, it may harm the liver.
- Prolonged exposure can cause irreparable damage.

- The kidneys act as the blood "filter" removing substances from the blood, which in turn flow into the bladder and are excreted from the body. The kidneys can also undergo severe damage from hazardous substances.

The Body and Health Affects



Acute

An acute effect is produced by an exposure usually to a high concentration of a substance that produces immediate harmful effects, such as spilling acid on your body or breathing a high concentration of lethal gas.



Chronic

A chronic effect is produced by an exposure usually to a low concentration of a substance that results in harmful effects over a longer period of time, such as smoking tobacco or drinking alcohol.



Latency Period

A latency period refers to the elapsed time between the first exposure and the onset of disease. For example, a single large exposure to asbestos dust can produce lung cancer 20 or more years later.



Information and Training: Who is Responsible?

Employer must:

- provide and document training to workers who use controlled products
- consult the JHSC
- review the program at least once a year
- determine the need for new or refresher training
- ensure workers can apply the principles of WHMIS

Workers must:

- participate in training programs offered by the employer.
- use information provided.

Three Steps to Control Hazards

RECOGNITION - Identifying the Hazard



ASSESSMENT - Measuring against standards



CONTROL - Eliminating or reducing the hazard

Controlling Hazards...

Once hazards have been identified and assessed, they can be:

- controlled at the source
- controlled along the path
- controlled at the worker

Recognition and Assessment of Hazards

Ask "What is the principle method used to recognize that a chemical may pose a hazard?"

• Answer: from the WHMIS label (or SDS)

Other methods of identifying hazardous materials which may be in the workplace: read the list

Recognition - Identifying the Hazard

- Inventories
- SDS
- Injury/Illness Reports
- Workplace Inspection Reports

- Hazard Analysis
- Observations
- Using the Senses

Assessing a hazard means comparing it to a standard.

- Some standards are simple. When dealing with flammables, the standard is "fires are bad" as are explosions, etc.
- When dealing with chemicals that may be inhaled, assessment is more complicated.

Controlling Hazards

Once hazards have been identified and assessed, they can be:

- controlled at the source
- controlled along the <u>path</u>
- controlled at the worker

The preferred method of control is: At the source

- elimination
- substitution
- isolation

The best controls eliminate the hazard altogether or reduce it to acceptable levels For example,

- Eliminate the hazards of mercury by replacing mercury thermometers with alcohol-base or electronic ones
- Substitute a less toxic cleaning product for a more toxic one
- Isolate a hazardous chemical process from the rest of the building
- Use local exhaust ventilation such as fume hoods to capture the chemical before it gets into the air
- Get rid of the problem whenever possible

Along the path

- Ventilation
- Barriers
- housekeeping

If you cannot eliminate the hazard at the source, along-the-path controls should be attempted next

- General exhaust ventilation can keep the concentration or air-borne contaminants to acceptable levels
- Barriers can be erected between the hazard and workers, such as storing flammable compressed gases in an explosion-proof room or in a separate building, or using lead shields to protect from X-rays
- Good housekeeping is essential when working around chemicals, such as cleaning up spills promptly and putting lids back on solvent containers to prevent evaporation into the air

The least desired method of control is:

At the worker

- Personal Protective Equipment
- Work Practices
- Training

Conclusion

Under WHMIS, you also have a number of rights and responsibilities.

You have the **right** to:

- Know about any hazards that you could be exposed to in the workplace
- Refuse work that is unsafe
- Consult with your Site Health and Safety Representative or a member of the Multi-Workplace Joint Health and Safety Committee

You have the responsibility to:

- Participate in WHMIS training
- Handle hazardous materials safely
- Comply with all health and safety laws and regulations, and with the health and safety training you receive

The key is to think before you act. Stop and consider:

- What materials you are working with
- Read the **WHMIS** labels on these products and their SDS
- Know the potential dangers
- Understand how to use these materials to minimize risk
- How to clean up these products
- How to apply first aid

Please complete the following quiz to conclude the Workplace Hazardous Materials Information System training.

WHMIS QUIZ District School Board of Niagara

Trainee Name:	Signature:	Date:
Placement Supervi Name:	i sor Signature:	Date:
Grade:		
1. What does V	VHMIS stand for?	
a. Work	xplace Hazmat Materials Information System	
b. Work	xplace Housing Materials Information System	
c. Work	xplace Hazardous Materials Incorporating Syst	em
d. Work	xplace Hazardous Materials Information System	m
2. How many p	physical hazard classes are there?	
a. 9		
b. 13		
c. 16		
d. 19		
3. How many h	ealth hazard classes are there?	
a. 10		
b. 12		
c. 16		
d. 20		
4. Which of the	e following hazard category has the highest l	level of hazard?
a. 1a		
b. 1b		
c. 2a		

d. 2b

5. The two signal words used to describe the level of hazard is?a. Danger and warningb. Danger and emergency

d. Caution and warning

c. Probability and possibility

6. How many pieces of information are mandatory on a supplier label?

- a. 2
- b. 4
- c. 6
- d. 8

7. How many pieces of information are mandatory on a workplace label?

- a. 3
- b. 6
- c. 9
- d. 12

8. What are the three main properties of a hazardous material?

- a. Fume, dust, smoke
- b. Smooth, rough, bumpy
- c. Acute, chronic, latency period
- d. Solid, liquid, gas

9. What are the routes of entry?

- a. Hands, eyes, mouth, nose
- b. Airborne particles, liquids, sharp objects, food
- c. Inhalation, absorption, injection, ingestion
- d. Inhalation, absorption, injection, observation

10. The main ways to control a hazard are:

- a. SDS, workplace labels, pictograms
- b. Elimination, substitution, isolation
- c. At the source, along the path, at the worker
- d. At the owner, at the supervisor, at the worker



VIOLENCE AND HARASSMENT IN THE WORKPLACE

Introduction

The District School Board of Niagara (DSBN) is committed to the prevention of workplace violence, workplace harassment, and workplace sexual harassment to ensure the health and safety and dignity of all employees and workers in its workplace. Any threats or acts of violence or harassment by or against employees or workers or the public are unacceptable and will not be tolerated. This includes situations where an employee may be exposed to domestic violence while at work. The DSBN will take steps required to protect their workers from workplace violence from all sources.

Definitions

Workplace Violence:

- Is the exercise of physical force by a person against a worker, in a workplace, that causes or could cause physical injury to the worker
- Is an attempt to exercise physical force against a worker, in a workplace, that could cause physical injury to the worker
- Is a statement or behaviour that is reasonable for a worker to interpret as a threat to
 exercise physical force against the worker, in a workplace, that could cause physical
 injury to the worker

Workplace Harassment:

- Is engaging in a course of vexatious comment or conduct against a worker in a workplace that is known or ought reasonably to be known to be unwelcome
- May include bullying, intimidating or offensive jokes or innuendos, displaying or circulating offensive pictures or materials, or offensive or intimidating phone calls
- Workplace sexual harassment

Workplace Sexual Harassment:

- Is engaging in a course of vexatious comment or conduct against a worker in a
 workplace because of sex, sexual orientation, gender identity or gender expression,
 where the course of comment or conduct is known or ought reasonably to be known to
 be unwelcome, or
- Making sexual solicitation or advance where the person making the solicitation or advance is in a position to confer, grant or deny a benefit or advancement to the worker and the person knows or ought reasonably to know that the solicitation or advance is unwelcome

Violence: The Escalating Stages

Stage ONE

Many issues begin as a verbal disagreement. These disputes often begin from relatively routine everyday events. When not resolved, these can escalate and intensify.

Strategies to De-Escalate in Stage 1:

- Remain calm, quiet, confident and professional
- Listen attentively and acknowledge the person's feelings
- Slowly repeat back the issues and clarify understanding
- Speak clearly, in a positive tone, in simple language
- Ensure all violence or potentially violent incidents are reported (for a Stage 1 Incident, it may be investigated and documented)

Stage TWO

Conduct that humiliates, degrades or otherwise indicates lack of respect for the dignity and worth of another individual, such as swearing, inappropriate jokes, social isolation, pranks, rumours, insults, vandalism, condescending language, threatening actions such as shaking fists, destroying property, and/or throwing objects.

Strategies to De-Escalate in Stage 2:

- Do not get caught up in the escalation
- Keep a relaxed posture
- Maintain personal space
- Set the standard and define to consequences
- Do not make anything personal Remember, it is the behaviour that is unacceptable, not the person

Stage THREE

Violet behaviour that results injury which are classified as physical assaults under the Criminal Code (e.g. pushing, shoving, hitting, use of weapons, psychological trauma).

Strategies to De-Escalate in Stage 3:

- Back away to a previously arranged escape route
- Assume a non-threatening, defensive posture if necessary
- Disengage
- Call for back-up

Stage FOUR

Retreat or calming down, usually occurring after the emotional outburst and rational thinking begins.

Strategies to De-Escalate in Stage 4:

- Report and follow up. Remember, non-reporting it condoning the behaviour
- Your Supervisor will conduct an investigation to look at cause, effect and consequences
- After the aggression is released, the aggressor may experience regret or embarrassment, the investigation team may provide opportunity for expression or remorse

Warning Signs of a Possible Confrontation

- * The warning signs listed below do not mean that a person will become violent. It may simply indicate that a person may be experiencing high levels of stress *
 - A change in someone's normal attitude or demeanour
 - Sudden changes in expression, posture, volume, tone of voice or routines
 - Communication of intent to harm, anger or distress
 - Threatening body posture or physical intimidation, verbal threats, or non-verbal actions of intent to do harm

Best Practices

- Ask to be supervised or teamed up during potentially confrontational situations
- Try to get yourself to a safe location in a violent, or potentially violent situation
- Inform others of your whereabouts if not in a public area
- Have control or words to alert others to dangerous situations or to get help
- Consult background information about potentially hostile students, parents/guardians
- Yell for help or make a loud noise to attract attention to yourself
- Evaluate your surroundings
- Avoid putting yourself in harm's way
- Avoid unlit and isolated areas
- Be observant of your surroundings and the people in your area
- Have an escape plan if needed
- Discuss your concerns with supervisors and co-workers
- Avoid becoming confrontational out of frustration or anger yourself
- Use any means available to communicate



SLIP, TRIP, AND FALL PREVENTION

SLIPS:

Loss of balance caused by too little friction between a person's foot and a walking surface.

Common Causes:

- Wet or oily surfaces
- Occasional spills
- Weather hazards
- Loose, unanchored rugs or mats
- Flooring or other walking surface that are worn



TRIPS:

Hit an object, lose your balance and fall

Common Causes:

- Obstructed view
- Poor lighting
- Clutter in your way
- Wrinkled carpet
- Uncovered cables
- Drawers not being closed
- Uneven (steps, thresholds) walking surfaces



FALLS:

Lose your balance and drop to the floor

3 Types of Falls:

- **1.** Falls on the same levels slip or trip immediately precedes fall to floor/walkway
- 2. Falls to lower level falls are from platforms, dock, ladders, steps, or stairs
- 3. Jump to lower level an intentional jump from one level to another



PREVENTION

- Good housekeeping
- Quality of walking surfaces
- Clean up spills immediately
- Use handrails
- Tread carefully on uneven surfaces and during winter conditions
- Select proper footwear (low heels, sturdy, slip resistance, closed-toe)
- Use an appropriate pace of work
- Use the right ladder for the job



UNDERSTANDING MSDs

Musculoskeletal Disorders

<u>MUSCULOSKELETAL INJURIES:</u> A range of disorders involving muscles, bones, tendons, blood vessels, nerves and other soft tissues

WHAT CAN HAPPEN?

- Tendonitis wrist, elbow, shoulder
- Bursitis shoulder
- Carpal Tunnel Syndrome
- Back and neck pain
- Other muscle, tendon and joint injuries







WHAT CAN YOU DO?

Job Tasks

- Avoid awkward postures (long reaches, overhead work, bending for an extended period)
- Avoid forceful muscle movements
- Keep your back and neck in a natural position
- Rotate work activities to break up repetitive asks
- Take a mini-break to stretch
- Placement documents at the same level and distance as the monitor when keying
- Keep your wrists in a natural position and avoid resting them on any surface while keying
- Focus briefly on distance objects to reset your eyes when reading or working on a monitor

Seating

- Adjust your seat pan so that your thighs are parallel to the floor
- Be sure that your feet rest flat on the floor or footrest
- Be sure your lower back is supported by the chair
- Adjust arm rests so that your shoulders are relaxed

Work Stations

- Adjust your monitor so that your eyes are even with the top row on the monitor
- Position your monitor to avoid direct, bright light above, in front or behind you
- Position frequently used tools within easy reach

Safe Lifting

- Take a balanced stance
- Get close to the object and squat down to pick up the load
- Get a secure grip and carry the load close to your body
- Test the weight of the load before trying to lift it
- Lift the load gradually and smoothly, keeping your back and neck in a natural position
- Turn your whole body when moving a load, instead of twisting your back



SAFE USE OF LADDERS

LADDER SAFETY

Falls from heights are preventable. Common causes from ladder injuries occur when shortcuts are taken (e.g. using a chair or desk instead of a ladder), improper ladder use, and using the wrong type of ladder for the job. The follow are basic steps for the safe use of ladders:

SELECTING THE RIGHT TYPE OF LADDER

3 types: Step Ladder, Extension Ladder, and Fixed Ladder

- <u>Height:</u> The required height of the work being performed will dictate the height of the ladder required.
- <u>Material</u>: Electrical work requires the use of a non-conductive ladder (either fiberglass or wood). For most other types of work, aluminum ladders are recommended.
- Weight: Select the ladder based on the duty raying and rated use.

DUTY RATING	RATED USE	CSA CODE	ANSI
200 lbs.	Light Duty Household	Grade 3	Type III
225 lbs.	Medium Duty Commercial	Grade 2	Type II
250 lbs.	Heavy Duty Industrial	Grade 1	Type I
300 lbs.	Extra Heavy Duty Industrial	N/A	Type IA
375 lbs.	Super Heavy Duty	N/A	Type IAA

LIFTING & CARRYING A LADDER

- Balance the centre of the ladder on your shoulder
- Carry the ladder close to your body
- Ask for help

CORRECT LADDER POSITIONING

EXTENSION LADDER:

- Position the ladder on solid and level surface
- Stable at the top with each rail supported equally
- Against a structure capable of supporting the intended load
- If possible, secure the ladder at the top and bottom
- Use a 4:1 ratio angle with side rails extended at least 1 metre above the surface to be assessed


STEP LADDER:

- Position the ladder on solid footing and a level surface
- Open ladder legs completely
- Lock spreader bars

LADDER STORAGE: Store ladder in an upright position, secured by brackets or chain, and in a location which is accessible to staff.

WORKING ON A LADDER

- Inspect your footwear and keep shoes/boots free of slippery substances
- Face the ladder
- Hoist materials or attach them to a belt to avoid carrying items in your hand
- Maintain 3 points of contact (e.g. 2 hands and 1 foot or 1 hand and 2 feet on the ladder)
- Do not climb beyond the 2 highest steps or the top of the platform
- Do not sit on top of the ladder
- Keep your midline between the side rails of the ladder
- Do not overreach to either side or lean too far forward or backward





ASBESTOS AWARENESS

What is Asbestos?

- Naturally occurring mineral (rock), Crysotile and Amosite are the two most common types
- Asbestos is present in background levels in the atmosphere



Why is Asbestos in Buildings?

- The Building Code during the 1950's-1970's required **asbestos containing materials** (ACM) be used because of its properties, including:
 - Thermal and acoustical insulation value
 - Fire protection
 - Strengthening of other materials

Asbestos Use and Removal

- Every school, government building, commercial property, and even your home may have ACM in it if it was built before 1980
- ACM in good condition can and should simply be left alone, undisturbed
- Unnecessary disturbance of ACM that are in good condition in buildings can create a more severe hazard than leaving it alone

Friable or Non-Friable

According to the Ontario Regulation respecting Asbestos in Buildings (278/05), materials must be classified as either friable or non-friable.

Friable: Materials that can easily be crumbled, powdered or pulverized by hand pressure when dry, or is loose in composition (e.g. fireproofing, insulation, gaskets, and ceiling tiles)

Non-Friable: Materials that cannot be easily crumbled by hand pressure (e.g. floor tiles, transite board or piping, plaster)

Asbestos and Health

- Primary hazard associated with asbestos is lung damage due to the inhalation of fibres over a long period of time
- Asbestos becomes a danger when asbestos fibres are released into the air and they are breather in
- Depending on the type of fibre, length of exposure, and the individual's other risk factor (e.g. smoking), exposure can cause:
 - Asbestosis scar tissue caused from penetration of asbestos fibres

- Mesothelioma rare cancer of the lining of the lungs, or lining of the stomach
- The average latency of diseases associated with asbestos is 15 50 years

Legislation

O. Reg **278/05** states there is no requirement to remove asbestos within building if it is **not disturbed**.

Asbestos Surveys

An inventory of ACM has been performed in all buildings owned by the DSBN. The inventory contains the location and type of all ACM, whether it is friable or non-friable, and the condition of the material. The inventory is updated at least every 12 months or whenever new information (e.g. renovations) occurs.

Repair and Maintenance

Damaged or degraded ACM will be remediated via removal, encapsulation or enclosure to by approved personnel to ensure asbestos fibres do not become airborne.

Emergency Procedures

If you encounter fallen material or unintentionally disturb a material that may be suspected of containing asbestos, the following steps must be taken:

- 1. Stop all work activity in the area to avoid further disturbance.
- 2. If debris is found in accessible areas, isolate the area.
- 3. Any clothing or tools that have become contaminated with asbestos fibres must be damp wiped before leaving the area.
- 4. Contact your supervisor and refer to the asbestos survey.
- 5. Contact the Environmental Services Coordinator if material is found to be asbestos-containing according to the survey.

Your Responsibilities

- Maintain current knowledge of ACM within the place of work, the Asbestos Survey and the Asbestos Management Program (speak to the Administrator to access these)
- Report any abnormal conditions or circumstances that may increase the airborne exposure level of asbestos dust in the work place
- Refrain from disturbing ACM in your work area
- **Do not panic** if you accidentally disturb ACM



LOCKDOWN, HOLD AND SECURE & SHELTER IN PLACE

Introduction to Lockdowns

Staff, students and visitors in Ontario's schools have the right to learn, work, and be present in a safe and secure environment. However, the possibility of a threat is a reality which cannot be overlooked. Everyone who spends any amount of time in an Ontario school on a regular basis needs to know how to protect themselves and how to protect their students, in the event of a threat in or within the vicinity of the school.

DEFINITIONS

Lockdown: A procedure that is initiated when school officials believe that there is a credible threat to student and staff safety.

Hold and Secure: A response to a threat within the general vicinity of the school. It should be used to secure the school when there is an ongoing threat outside and not related to the school.

Shelter in Place: A response to an environmental or weather-related situation where it is necessary to keep all occupants within the school to protect them from an external situation, where it is safer to remain inside the school.

School Preparations

A brief plan outlining the procedures to be followed in a "Lockdown", "Hold and Secure" and "Shelter in Place" should be available in each classroom. All volunteers, support staff, and occasional staff are to be made aware of the contents and location of such plans.

Lockdown Scenarios

Lockdown #1 – Threat is <u>INSIDE</u> or <u>OUTSIDE</u> the school. Staff/students are inside the school. All <u>Staff</u> Responsibilities:

- MOVE students and staff go to nearest supervised and safe area away from sight lines
- **LOCK** classroom and office doors. If the threat is outside, lock all external doors to the school.
- **CLOSE** windows
- **DRAW** curtains
- TURN OFF lights
- **REMAIN QUIET** turn off all electronic devices. Wait for the announcement "Attention staff and students, we are now moving out of lockdown"

Teacher Responsibilities:

• **CONFIRM** – take student attendance and be prepared to respond to attendance inquiries

Lockdown #2 – Threat is <u>INSIDE</u> the school. Staff/students are outside the school.

Yard Duty/Teaching Staff Responsibilities:

- **BLOW** whistle repeatedly
- MOVE all students to line up in designated areas
- Follows directions of staff to remain in designated area OR move to emergency evacuation site.

Outside Staff & Students Responsibilities:

- **REMAIN QUIET** turn off all electronic devices (staff may use cell phones to report vital information and medical emergencies)
- Wait for the announcement "Attention staff and students, we are now moving out of lockdown"

Lockdown #3 – Threat is <u>OUTSIDE</u> the school. Staff/students are outside the school.

Yard Duty/Teaching Staff Responsibilities:

- **BLOW** whistle repeatedly
- MOVE students and staff are to enter the school as quickly as possible. Proceed to nearest safe area and follow Lockdown #1

All Staff Responsibilities:

- **LOCK** classroom and office doors. If the threat is outside, lock all external doors to the school.
- **CLOSE** windows
- **DRAW** curtains
- TURN OFF lights

<u>Teacher</u> Responsibilities:

 CONFIRM – take student attendance and be prepared to respond to attendance inquiries

Other Considerations

Portables

Due to thin wall construction, it is recommended that desks be tipped onto their sides
with desk tops facing out, and all desks placed in a circle. Students and staff should be
located within that circle, down on floor below the top edge of the desk. Barricade the
door if necessary.

Open Areas (Gymnasiums, Libraries, Cafeterias, etc.)

 Any open area is highly vulnerable. Try and find an area where you can remain out of sight such as the gymnasium storage closet, behind bookcases, or consider evacuating to the exterior of the school



ANAPHYLAXIS

What is Anaphylaxis?

• A rapid, serious, allergic reaction which can be life threatening and requires an immediate First Aid Response and immediate medical intervention.

How does Anaphylaxis Occur?

- An individual is exposed to a foreign substance, known as an "allergen" which causes an allergic reaction
- The individual's antibodies within their immune system perceives the allergen as a threat and reacts inappropriately to the allergen
- The reaction occurs when the allergen releases dangerous chemicals such as histamines, from the cells in the blood and tissues which cause a "domino" allergic reaction within the body

Why causes Anaphylaxis?

A number of allergens can trigger an anaphylactic reaction, depending on what the individual is allergic to. For some anaphylactic individuals, a minute amount of the allergen can lead to a severe response. Most individuals develop symptoms as a result of direct contact (touching, ingestion), while other do so as a result of inhalation of the allergen. Common anaphylaxis triggers include:

Identified Food Groups

- Dairy products (cow's milk, eggs, and egg products)
- Nut products (peanuts, walnuts, brazil nuts, cashews, macadamia nuts, hazelnuts, and pecans)
- Soy Products
- Wheat Products
- Fish
- Sesame Seeds

Identified Non-Food Groups

- Insect Stings (bees, wasps, and hornets)
- Latex Products (e.g. gloves, balloons, and elastics)
- Medication Products (e.g. penicillin, sulfa, aspirin)
- Exercise in rare cases

What are the Symptoms of an Anaphylaxis Reaction?

The onset of a response can vary with each exposure, often becoming increasingly severe. The order in which these symptoms can occur can vary widely with each individual. The severity of symptoms vary from person to person. It is essential that all situations be handled as if they are

potentially life threatening. A swift and immediate response to first symptoms is critical. An anaphylactic reaction involves symptoms from two or more body systems as noted below.

BODY SYSTEM	SYMPTOMS
SKIN	Hives (red itchy welts or swelling on skin)
EYES	Swollen, itchy, running, or bloodshot, or with mucous
NOSE	Running, itchy, stuffy, sneezing
THROAT	Sore, swollen
STOMACH/DIGESTIVE SYSTEM	Vomiting, cramps, bloating, nausea, diarrhea
URINARY SYSTEM	Incontinence
RESPIRATORY SYSTEM	Difficulty breathing, sever asthmatic reaction
CIRCULATORY SYSTEM	Drop in blood pressure, unconsciousness
OTHER	Disorientation, sense of foreboding, fear or apprehension,
	sense of doom

What is an Emergency Action Plan?

An Emergency Action Plan for Student with Anaphylaxis is prepared by the School Administrator (in consultation with the parents/guardians) when the parent/guardian or student over 18 years of age informs the school in writing that he/she or his/her child/ward is at risk of anaphylaxis. The Plan includes:

- Student information and photograph
- Allergens and allergy description
- Student restrictions
- Possible symptoms
- Emergency response

The response Plan and medication must be readily available in the event of an emergency.

Emergency Response

Immediate intervention is essential as outlined in the Emergency Action Plan. Staff must know where their students' medication is located at all times. Medication must only be administered to whom it was prescribed. The EpiPen, Twinject Auto-Injector, and Allerject deliver a drug called Epinephrine, the drug form of the hormone adrenaline. Epinephrine constricts blood vessels to increase blood pressure, relaxes muscles in the lungs to improve breathing, stimulates the heartbeat, and reverses hives and swelling. In almost all cases, delivering epinephrine will not cause the individual harm if they are not in fact experiencing an anaphylactic reaction.

How to Use an EpiPen

- 1. Call 911.
- 2. Remove the blue safety cap by pulling straight up. Do not bend or twist.
- 3. Swing and jab the **orange** tip into the mid-outer thigh at a 90 degree angle until you hear a "click".
- 4. Hold in place for 10 seconds.
- 5. Remove the EpiPen and massage the injection area for 10 seconds (the orange needle cover will automatically extend and lock into place).
- 6. If there is no change in the individual's conditions within 10 minutes and EMS has not arrived, administer the second EpiPen.
- 7. Give the used EpiPen(s) to Emergency Medical Services (EMS) when they arrive.



Be Trained, Be Ready, and Be Confident!



ACCESSIBILITY STANDARDS FOR CUSTOMER SERVICE

Overview of People with Disabilities

Types of Disabilities

There are many types of disabilities. Disabilities can be visible, hidden, permanent, or occur at certain times.

Some disabilities include:

 Physical - Vision - Speech/language - Mental health
 Hearing - Deaf-blind - Learning - Developmental/ intellectual

Legislative Background

The **Human Rights Code** provides a duty to accommodate.

The **Ontarians with Disabilities Act, 2001** (ODA) was developed to improve the opportunities for people with disabilities by identifying and removing barriers.

In 2005, the Accessibility for Ontarians with Disabilities Act (AODA) was passed with the purpose to achieve a fully accessible Ontario by the year 2025. This will be achieved by:

- Developing accessibility standards
- Enforcing the standards
- Applying the standards across public, broader public and private sectors

Customer Service – Ontario Regulation 429/07 provides the requirements for providing accessible customer service, including this training requirement.

Customer Service Standard

The **Customer Service Standard** was approved in July, 2007. The standard requires that:

- An accessible customer service policy, practices and procedures be developed
- All staff receive information and instruction in accessible customer service
- A feedback method be developed
- Alternate communication methods be available
- Notice of temporary service disruptions be posted

Compliance and Enforcement

Compliance and enforcement of the Customer Service Standard includes that:

- All sector must comply within specific time frames (for School Boards, the compliance date is January 1, 2010)
- Accessibility Reports are required
- Inspectors may be appointed to verify compliance

What is Accessible Customer Service (ACS)?

- Flexible service that meets the needs of an individual customer
- Putting the person first
- Understanding that some methods of service may not work for all people
- Allowing for comments and suggestions on how to improve accessible customer service
- Providing as much notice as possible if there is a disruption in service

Principles of Accessible Customer Service

- 1. **Dignity:** Service is provided in a respectful manner consistent with the needs of the individual
- 2. **Independence:** Services for persons with disabilities shall support their independence while respecting their right to safety and personal privacy
- 3. **Integration**: Services allow people with disabilities to fully benefit from the same services, in the same place and in the same or similar way
- 4. **Equal Opportunity**: Service outcome is the same for persons with disabilities as for persons without disabilities
- 5. **Sensitive**: Service is provided in a manner that is respectful to an individual's needs
- 6. **Responsive**: Service is delivered in a timely manner, considering the nature of the service and the accommodation required
- 7. **Inclusive**: Committed to an inclusive environment as one where people experience both the feeling and realty of belonging and where, as a result, they are able to fulfill their full potential

Interaction

When interacting with the **public**, remember the acronym **T.A.L.K.**

T = take the time to ask, "How may I help you?"

A = ask, don't assume, never assist unless asked

L = listen attentively and speak directly to the customer

K = know the accommodations and special services that are available

Physical Disabilities

There are many types and degrees of physical disabilities, and not all require a wheelchair. People who have arthritis, heart or lung conditions or amputations may also have difficulty with moving, standing or sitting. It may be difficult to identify a person with a physical disability. A physical disability may affect an individual's ability to:



- Perform functional tasks such as holding a pen, turning a key, or gripping a door knob
- Move around independently
- Control the speed or coordination of movements
- Reach, pull or manipulate objects
- Have strength or endurance

Tips to Remember:

- Speak directly to your customer, not to their companion or attendant.
- People with physical disabilities often have their own ways of doing things. Ask before you help.
- Be patient. Customers will identify their needs to you.
- Don't touch assistive devices, including wheelchairs, unless it's an emergency.
- If you need to have a lengthy conversation with someone who uses a wheelchair or scooter, consider sitting so you can make eye contact at the same level.
- Provide information about accessible feature of the school/site.
- Remove obstacles and rearrange furniture to ensure clear passage.
- If a counter is too high or wide, step around it to provide service.
- Provide seating for those that cannot stand in line.

Hearing Impairment

People who have hearing loss may be deaf or hard of hearing. Like other disabilities, hearing loss has a wide variety of degrees. People who are hearing impaired may require assistive devices when communicating or utilize alternate forms of communication. A person who is deaf, oral deaf, deafened or hard of hearing may be unable to:



- Use a public telephone
- Understand speech in noisy environments
- Pronounce worlds clearly enough to be understood

Tips to Remember:

- Don't assume that a person with a hearing impairment has another disability.
- Always ask how you can help. Don't shout speak clearly.

- Attract the customer's attention before speaking. Try a gentle touch on the shoulder or wave of your hand.
- Make sure you are in a well-lit area where your customer can see your face and read your lips.
- If your customer uses a hearing aid, try to speak in an area with few competing sounds.
- Look at and speak directly to your customer. Address the customer, not the interpreter.
- If necessary, ask if communicating via pen and paper is easier for sharing of information.
- Face the person and keep your hands and other objects away from your face and mouth.
- Be clear and precise when giving directions, and repeat or rephrase if necessary. Make sure you been understood.
- Don't touch or address service animals they are working and have to pay attention at all times.
- Any personal matters should be discussed in a private room to avoid other people overhearing.
- Be patient. Communicating for people who are deaf may be different because their first language may not be English. It may be American Sign Language.

Vision Disabilities

Vision disabilities reduce one's ability to see clearly. Very few people are totally blind. Some have limited vision such as tunnel vision. Some can see the outline of objects while others can see the direction of light.



Impaired vision can restrict a person's ability to read signs, locate landmarks or see hazards. In some cases, it may be difficult to tell if a person has a vision disability. Others may use a guide dog or a white cane. Vision loss can result in:

- Difficulty reading or seeing faces
- Difficulty maneuvering in unfamiliar places
- Inability to differentiate colours or distances
- A narrow field of vision
- The need for bright light or contrast
- Night blindness

Tips to Remember:

- Identify yourself when you approach your customer and speak directly to them.
- Speak normally and clearly.
- Never touch your customer without asking permission, unless it's an emergency.
- If you offer assistance, wait until you receive permission.
- Don't assume the individual can't see you. Many people who have low vision still have some sight.

- Don't touch or address service animals they are working and have to pay attention at all times.
- Offer your arm (the elbow) to guide the person and walk slowly. Do not grab or pull.
- If you're giving directions or verbal information, be precise and clear.
- Don't leave your customer in the middle of a room. Show them to a chair, or guide them to a comfortable location.
- Identify landmarks or other details to orient your customer to the environment around them
- Don't walk away without saying good-bye.
- Be patient. Things may take a little longer.

Speech or Language Impairments

Some people have problems communicating. It could be a result of cerebral palsy, hearing loss, or another condition that makes it difficult to pronounce words, causes slurring or stuttering, or not being able to express oneself or understand written or spoken language. Some people who have severe difficulties may use communication boards or other assistive devices. Disabilities may include:

- Pronunciation
- Pitch and loudness
- Hoarseness or breathlessness
- Stuttering or slurring

Tips to Remember:

- Don't assume that a person with a speech impairment has another disability. For
 example, if a customer has difficulty speaking, don't assume they have an intellectual or
 developmental disability as well.
- If you don't understand, ask your customer to repeat the information.
- Don't interrupt or finish your customer's sentences. Wait for them to finish.
- Whenever possible, ask guestions that can be answered with "yes" or "no".
- Be patient and polite, and give your customer whatever time he/she needs to get his/her point across.
- Patient, respect and a willingness to find a way to communicate are your best tools.

Deaf – Blind Disabilities

A person who is deaf-blind cannot see or hear to some extent. This results in greater difficulties in accessing information and managing daily activities. Most people who are deaf-blind will be accompanied by an intervenor, a professional who helps with communicating. Intervenors are trained in special



sign language that involves touching the hands of the client in a two-hand, manual alphabet or finger spelling, and may guide and interpret for their client.

Tips to Remember:

- Don't assume what a person can or cannot do. Some people who are deaf-blind have some sight or hearing, while others have neither.
- A customer who is deaf-blind is likely to explain to you how to communicate with them or give you an assistance care or a note explaining how to communicate with them.
- Speak directly to your customer as you normally would, not to the intervenor.
- Identify yourself to the intervenor when you approach your customer who is deaf-blind.
- Don't touch or address service animals they are working and have to pay attention at all times.
- Never touch a person who is deaf-blind suddenly or without permission unless it's an emergency.

Mental Health

It is possible that you will not recognize a person with a mental health disability unless you are informed of it. Therefore, usually, it will not affect customer service at all.

However, if someone is experiencing difficulty in controlling their symptoms or is in crisis, you may need to help out. Be calm and professional and let your customer tell you how you can best help.

Tips to Remember:

- Treat a person with a mental health disability with respect and consideration.
- Be confident and reassuring. Listen carefully and work with your customer to meet their needs.
- If someone appears to be in a crisis, ask them to tell you the best way to help.

Learning Disabilities

Learning disabilities can result in a host of different communications difficulties for people. They can be subtle, as in having difficulty reading, or they can be more pronounced. They can interfere with a person's ability to receive, express or process information. You may not be able to know that someone has a learning disability unless you are told, or notice the way a person acts, ask questions, or uses body language.



Tips to Remember:

- Patience and a willingness to find a way to communicate are your best tools.
- When you know that someone with a learning disability needs help, ask how you can best help.

- Speak normally and clearly, and directly to your customer.
- Take some time people with some kinds of learning disabilities may take a little longer to understand and respond.
- Try to find ways to provide information in a way that works best for them (e.g. have a paper and pen handy).
- If you are dealing with a child, be patient, encouraging and supportive.
- Be courteous and patient and your customer will let you know how to best provide service in a way that works for them.

Intellectual/Developmental Disabilities

People with intellectual or developmental disabilities may have difficulty doing many things most of us take for granted. These disabilities can mildly or profoundly limit one's ability to learn. You may not be able to know that someone has this disability unless you are told, or you notice the way people act, ask questions or use body language.

Customers with an intellectual or developmental disability may understand more than you think. They will appreciate the respect and consideration that you show them.

Tips to Remember:

- Don't assume what a person can or cannot do.
- Use plain language and speak in short sentences.
- Make sure your customer understands what you have said.
- If you can't understand what's being said, don't pretend. Ask again.
- Provide one piece of information at a time.
- Be supportive and patient.
- Speak directly to your customer, not to their companion or attendant.

Other/Temporary Disabilities

Other/temporary disabilities result from a range of other conditions (e.g. accidents, seizure disorders, heart disease, stroke and joint replacement)

How to Interact with People Who Use Assistive Devices

An assistive device is a **tool, technology** or **other mechanism** that enables a person with a disability to perform everyday tasks and activities, such as activities of daily living, personal care, communicating, and mobility. Personal assistive devices can include things such as wheelchairs, scooters, walkers, braces, computer software programs, hearing aids, canes, or speech amplification devices.

Tips to Remember:

- Don't touch or handle any assistive device without permission.
- Don't move assistive devices or equipment, such as canes and walkers, out of your customer's reach.
- Let your customer know about accessible features in the immediate environment that are appropriate to their needs (e.g. elevators, accessible washrooms, etc.).

Assistance of a Guide Dog and Other Service Animals

People with vision loss may use a guide dog, but there are other types of services animals as well. Hearing alert animals help people who are deaf or hard of hearing. Some service animals are trained to alert an individual to an oncoming seizure.

Under the Accessible Customer Service Standard, service animals are allowed on the parts of the premises that are open to the public or to other third parties, unless the animal is otherwise excluded by law. You may ask a person for a letter from a physician or nurse verifying that their animal is required for reasons relating to their disability if it is not readily apparent.

Tips to Remember:

- Avoid touching or addressing service animals they are working and have to pay attention at all times.
- Avoid making assumptions about the animal. If you're not sure if the animal is a pet or a service animal, ask your customer.
- Provide the location of fresh water for the service animal and where service animals may be walked to relieve themselves.

Assistance of a Support Person

In accordance with DSBN Policy C-3, a support person is defined as "a person who assists or interprets for a person with a disability as they access the services of the Board". A support person is distinct from an employee who supports a student in the system.

A support person must be allowed to accompany an individual with a disability to any part of the premises that is open to the public or to third parties. If a fee is payable for admission, the provider shall ensure that notice is given in advance of the amount, if any, payable in respect of the support person.

Disruption of Services

If there is a temporary disruption of services (e.g. elevator repairs) the provider shall give notice to the public.

Notice of the disruption must include the following:

- Name of the event/service
- Reason for the disruption
- Anticipated duration of disruption
- Alternate service locations if available
- Contact information

Notice may be given by posting the information at a conspicuous place on the premises and/or the provider's website.

Feedback Process

All concerns related to accessibility shall be reported to the Health and Safety Department.

An Accessibility Standards for Customer Service Feedback Form is available at the following link:

www.dsbn.edu.on.ca/uploadedfiles/FeedbackProcessDocument.pdf

Summary

- The District School Board of Niagara is committed to making every effort to provide services to students, parents/guardians, the public and staff that are free of barriers and biases.
- Treating all people who come to our worksites with individual respect and courtesy is at the heart of service excellence.



ACCESSIBILITY IN THE DISTRICT SCHOOL BOARD OF NIAGARA

DSBN's Mission

The DSBN is committed to student success by working together to inspire, support and empower all learners to achieve their full potential.

Message from the Lieutenant Governor of Ontario

"As the first Lieutenant Governor of Ontario with a physical disability, I have adopted accessibility as the over-arching theme of my term in office. I have defined accessibility as "That which enables people to achieve their full potential. In Canada, we have made great strides in integrating equity of opportunity across races, ethnicities, genders and religions. However, when it comes to people with disabilities we still have some way to go.

A big step in getting there is to make every aspect of our society accessible for everyone, and to a large extent this is happening through accessibility legislation. But the greatest barrier to accessibility lies not in our infrastructure - our buildings, streets and transportation - it lies in our attitudes and our lack of awareness.

Those who work with students as teachers, educational assistants, early childhood educators and administrators have a tremendous ability to influence, lead and inspire. Young people are striving to make sense of their world. An important part of that process is learning that every individual has the right to achieve his or her full potential.

I'm asking you as teaching professionals to transform attitudes and build awareness by ensuring your classrooms and your schools are places where every student is included and feels welcome. I understand that you are already integrating principles of universal design into your teaching strategies, shaping instruction to meet the different needs of your students. An important extension would be to develop understanding among your students of what accessibility means and how it effects fairness and equity of opportunity for people across the entire spectrum of ability.

The goal is to shape a society in which individuals are appreciated for their intrinsic worth, and the full range of human ability is welcomed and supported. To make it happen, champion the value that says to all students "What you do is important. How you feel is important. You belong."

In the classroom you have an enviable opportunity to help create this kind of world. I'm asking you to make it happen."

- The Hon. David C. Onley O. Ont.

Accessible Ontario

The TeachAble Project: Integrated accessibility standards orientation for school board program and classroom staff.



Ontario's new Intregrated Accessibility Standards Regulation (IASR) requires that all staff receiving training on both:

- a. The requirements of the accessibility standards set out in the IASR
- b. The Ontario Human Rights Code as it pertains to persons with disabilities.

Accessible Standard and the Ontario Human Rights Code

The Ontario Human Rights Code contains provisions that promote and protect the rights of persons with disabilities.

Ontario Human Rights Code recognizes that all people:

- Have human rights that cannot be infringed upon or dismissed
- Have individual dignity and worth
- Are entitled to equal rights and opportunities without discrimination
- Need a climate of understanding and mutual respect, so that everyone feels a part of society and can contribute fully to it

Human Rights are Everybody's Responsibility

All of us who live in Ontario must:

- 1. Not discriminate against or harass others
- 2. Address discrimination when we see it or experience it
- Report incidents of discrimination, either to school authorities or to the Human Rights
 Tribunal of Ontario, and urge others who have been discriminated against to do so as
 well
- 4. Learn about human rights and teach them to others, to make sure that people know their rights and responsibilities under the Code

Protected Grounds

The Code recognizes that discrimination occurs most often because of a person's membership in a particular group in society. The Code protects people based on the following grounds:

Age

- 18 + (employment and all other areas)
- 16 + (housing)

Ancestry

- Family descent

Citizenship

- Membership in a state or nation

Colour

Associated with race

Disability

- There are two common ways of looking at what a disability is:
 - To see a disability as a medical condition that a person has. From this perspective, disability covers a broad range and degree of conditions, some visible and some not visible. A disability may have been present from birth, caused by an accident, or developed over time. There are physical, cognitive, mental and learning disabilities, mental disorders, hearing or vision disabilities, epilepsy, drug and alcohol dependencies, environmental sensitivities, and other conditions.
 - A newer way of looking at a disability is that it is not something a person has. A person with a medical condition is not necessarily prevented (or disabled) from fully taking part in society. If society is designed to be accessible and include everyone, then people with medical conditions often don't have a problem taking part. From this point of view, disability is a problem that occurs when a person's environment is not designed to suit their abilities.

Creed

Religion or faith

Ethnic Origin

Social, cultural or religious practices drawn from a common past

Family Status

A parent/child relationship

Gender Expression

• The external attributes, behaviour, appearance, dress, etc. by which people express themselves and through which others perceive that person's gender

Gender Identity

 A person's conscious sense of maleness and/or femaleness; this sense of self is separate and distinct from biological sex

Martial Status

 Applies equally to common-law, same-sex and opposite-sex relationships; includes widowhood, separation, and divorce

Place of Origin

Country or region

Race

 Common descent or external features such as skin colour, hair texture, and facial characteristics

Receipt of Public Assistance

In housing only

Record of Offences

Provincial offences or pardoned federal offences (in employment only)

Sex

• Discrimination can be sexual in nature, or because of pregnancy. This ground includes the right to breastfeed in public areas or in the workplace.

Sexual Orientation

• Includes lesbian, gay, bisexual, heterosexual, two-spirited, questioning, etc.

Exceptions to Protected Grounds

There are some exception to these protected (prohibited) grounds in the area of employment, such as:

- An organization that serves a group protected by the Code, such as religious, educational or social institutions serving ethnic groups, people with disabilities, religious groups, etc., may choose to employ only members of that group
- An employer may choose to hire or not hire, or to promote or not promote his or her own spouse, child or parents, or the spouse, child or parent of an employee
- An employer may discriminate based on age, sex, record of offences or marital status if these are genuine requirements of the job, such as:
 - A shelter for abused women may choose to hire only women as counsellors
 - A club may hire only male attendants to work in the men's locker room
 - A child care facility may refuse to hire someone convicted of child molesting on the ground that the hiring would pose a safety risk to the children
- In the above instances, the employer must consider whether any accommodation can be made to enable that person to work in the job

Profile of Disability in Ontario

The Numbers:

- About **1 in 7** (1.85 million) Ontarians has a disability
- As population ages, the number will increase. In 2025, **1 in 5** Ontarians (6.7 million) will be 65 or older

- Right now, **53**% of Canadians either have a disability or have someone in their immediate family circle who is living with a disability

The goal of the Accessibility for Ontarians with Disabilities Act is to have an accessible Ontario by 2025.

Accessibility Standards cover the following areas:

- Customer Service (implemented)
- Built environment (implemented for new construction and major changes to existing features)
- Employment *
- Information and Communications *
- Transportation *
 - * Combined in the Integrated Accessibility Standards Regulation

Integrated Accessibility Standards

The Integrated Accessibility Standards became an Ontario Regulation in July, 2011 and address the following 3 standards:

- 1. Information and Communications
- 2. Employment
- 3. Transportation

Accessibility Standards address issues that pose major barriers for people with disabilities. A barrier could be:

- A physical barrier
- An architectural barrier
- An information or communications barrier
- An attitudinal barrier
- A technological barrier
- A policy or practice

Barriers are further reinforced by:

- Bias
- Lack of information
- Stereotypes
- Myths

- Prejudice
- Lack of Awareness
- Unwillingness

Putting Integrated Accessibility Standards into Practice

School Boards must have policies, practices and procedures that ensure accessible services for people with disabilities in the areas of: information and communications, employment, and student transportation. They must also have a multi-year Accessibility Plan outlining strategies to prevent and remove barriers.

Program/Classroom Staff

As of January 2013....

- All staff who design, deliver, or teach educational programs and courses will undertake accessibility awareness training related to their responsibilities
- A key intent of this requirement is that classroom staff will be able to deliver instruction through a lens of accessibility awareness

The **TeachAble Project** offers Progam and Classroom Staff a rich array of resources designed to build accessibility awareness.



INFORMATION & COMMUNICATIONS STANDARD

As of January 2013...

Training Resources & Materials:

- When requested, School Boards need to be able to provide educational and training resources or materials in an accessible format
- The School Board will procure an accessible or conversion ready electronic format where available
- Where the resource is not available in these formats, comparable resources will be provided

Information about Programs:

 When requested, School Boards need to be able to provide information on the requirements, availability and descriptions of its education programs in an accessible format

Student Records

When requested, School Boards need to be able to provide student records in an accessible format

As of January 2015...

- School Boards are required to provide accessible formats and communication supports upon request to people with disabilities in a timely manner and at no greater cost than charged to others
- School Boards, in determining the best format, must consult with the person making the request

Website

As of January 2014...

- School Boards must ensure that new websites and new web content meet WCAG (Web Content Accessibility Guidelines)* 2.0, Level A accessibility standards

By January 2021...

School Boards must ensure that all its websites and web content meet WCAG 2.0 Level
 AA accessibility standards

Libraries

As of January 2015...

- When requested, School Boards needs to be able to provide, procure or acquire accessible or conversion ready format of **print resources** for a person with a disability

By January 2020....

 School Libraries will be able to provide, procure or acquire an accessible or conversion ready format of digitial or multi-media resources upon request by a person with a disability

ACCESSIBLE EMPLOYMENT STANDARD

This Standard builds on existing requirements of the *Ontario Human Rights Code* to accommodate persons with disabilities.

As of January 2014...

- School Boards are required to have processes to ensure that...
 - Recruitment is accessible (e.g. making accommodations for interviews)
 - Workplace information and communications are provided in accessible formats
 - Individual accommodation plans are developed for employees with disabilities

- School Boards are required to have processes to ensure that...
 - Employees returning to work after disability-related absences are accommodated
 - Accessibility needs are considered through the full spectrum of employment including performance management, career development and redeployment
 - Individualized workplace emergency response information is provided for employees with disabilities

ACCESSIBLE TRANSPORTATION STANDARD

As of July, 2011...

- School Boards shall ensure provision of integrated accessible school transportation for their students,

OR

 Appropriate alternative accessible transportation services for students with disabilities where integrated accessible services are not possible or not the best option for a student

As of January, 2014...

- School Boards shall consult with parents/guardians of students with disabilities to develop individual school transportation plans that detail student assistance needs for each student with a disability
- This includes plans for boarding, securement and deboarding, and a process to identify and communicate roles and responsibilities for all those involved in the student's transportation





SAFETY ORIENTATION CHECKLIST

Site-Specific Training to be completed by Associate Teacher at each placement

PLACEMENT ONE LOCATION:		
Trainee Name:	Trainee Signature:	
Associate Teacher Name:	Associate Teacher Signature:	
Date Completed:	DSBN Administrator Name:	

SITE-SPECIFIC HEALTH AND SAFETY ORIENTATION:	COMPLETED	(√)	N/A (x)
Site tour			
Location of staff rooms, restrooms, and emergency wash stations			
Name and contact information for Administrator(s), Health and Safety Site			
Representative and First Aid persons			
Health and Safety Bulletin Board			
Location of the first aid supplies, equipment, facilities			
Location of fire exits and fire extinguishers			
Identification of restricted/prohibited areas, tools, equipment and machinery			
Housekeeping and special clean-up procedures			
Procedures for reporting accidents and injuries			
Emergency plan and procedures for evacuation (including who to contact, fire safety			
rules, and other emergency equipment and procedures)			
Discussion of hazards in the work area (e.g. noise, chemicals, radiation, physical etc.)			
Safe work procedures and operation of equipment (including specific restrictions,			
safety precautions and procedures)			
General and specific safety rules for the work area			
Use and location of Personal Protective Equipment (PPE)			
Machine Guarding			
Working with electrical equipment (lock out/tag out)			
HEALTH AND SAFETY ORIENTATION PACKAGE MODULES:	C	COMPI	LETED (✓)
Health and Safety at Work: Prevention Starts Here Training and Quiz			
WHMIS Training and Quiz			
Violence and Harassment in the Workplace			
Slip, Trip and Fall Prevention			
Understanding MSDs			
Safe Use of Ladders			
Asbestos Awareness			
Lockdown, Hold and Secure & Shelter in Place			
Anaphylaxis			
Accessibility Standards for Customer Service			
Accessibility in the District School Board of Niagara			

^{*}Additional health and safety topics presented during orientation must be documented and attached to this package*





SAFETY ORIENTATION CHECKLIST

Site-Specific Training to be completed by Associate Teacher at each placement

PLACEMENT TWO LOCATION:	
Trainee Name:	Trainee Signature:
Associate Teacher Name:	Associate Teacher Signature:
Date Completed:	DSBN Administrator Name:

SITE-SPECIFIC HEALTH AND SAFETY ORIENTATION:	COMPLETED (√) N/A (x)
Site tour		
Location of staff rooms, restrooms, and emergency wash stations		
Name and contact information for Administrator(s), Health and Safety Site		
Representative and First Aid persons		
Health and Safety Bulletin Board		
Location of the first aid supplies, equipment, facilities		
Location of fire exits and fire extinguishers		
Identification of restricted/prohibited areas, tools, equipment and machinery		
Housekeeping and special clean-up procedures		
Procedures for reporting accidents and injuries		
Emergency plan and procedures for evacuation (including who to contact, fire safety		
rules, and other emergency equipment and procedures)		
Discussion of hazards in the work area (e.g. noise, chemicals, radiation, physical etc.)		
Safe work procedures and operation of equipment (including specific restrictions,		
safety precautions and procedures)		
General and specific safety rules for the work area		
Use and location of Personal Protective Equipment (PPE)		
Machine Guarding		
Working with electrical equipment (lock out/tag out)		
HEALTH AND SAFETY ORIENTATION PACKAGE MODULES:	CC	MPLETED (✓)
Health and Safety at Work: Prevention Starts Here Training and Quiz		
WHMIS Training and Quiz		
Violence and Harassment in the Workplace		
Slip, Trip and Fall Prevention		
Understanding MSDs		
Safe Use of Ladders		
Asbestos Awareness		
Lockdown, Hold and Secure & Shelter in Place		
Anaphylaxis		
Accessibility Standards for Customer Service		
Accessibility in the District School Board of Niagara		

^{*}Additional health and safety topics presented during orientation must be documented and attached to this package*





SAFETY ORIENTATION CHECKLIST

Site-Specific Training to be completed by Associate Teacher at each placement

PLACEMENT THREE LOCATION:	
Trainee Name:	Trainee Signature:
Associate Teacher Name:	Associate Teacher Signature:
Date Completed:	DSBN Administrator Name:

SITE-SPECIFIC HEALTH AND SAFETY ORIENTATION:	COMPLETED ((√) N/A
Site tour		
Location of staff rooms, restrooms, and emergency wash stations		
Name and contact information for Administrator(s), Health and Safety Site		
Representative and First Aid persons		
Health and Safety Bulletin Board		
Location of the first aid supplies, equipment, facilities		
Location of fire exits and fire extinguishers		
Identification of restricted/prohibited areas, tools, equipment and machinery		
Housekeeping and special clean-up procedures		
Procedures for reporting accidents and injuries		
Emergency plan and procedures for evacuation (including who to contact, fire safety		
rules, and other emergency equipment and procedures)		
Discussion of hazards in the work area (e.g. noise, chemicals, radiation, physical etc.)		
Safe work procedures and operation of equipment (including specific restrictions,		
safety precautions and procedures)		
General and specific safety rules for the work area		
Use and location of Personal Protective Equipment (PPE)		
Machine Guarding		
Working with electrical equipment (lock out/tag out)		
HEALTH AND SAFETY ORIENTATION PACKAGE MODULES:	CC	OMPLETED (
Health and Safety at Work: Prevention Starts Here Training and Quiz		
WHMIS Training and Quiz		
Violence and Harassment in the Workplace		
Slip, Trip and Fall Prevention		
Understanding MSDs		
Safe Use of Ladders		
Asbestos Awareness		
Lockdown, Hold and Secure & Shelter in Place		
Anaphylaxis		
Accessibility Standards for Customer Service		
Accessibility in the District School Board of Niagara		

^{*}Additional health and safety topics presented during orientation must be documented and attached to this package*